	Hits	Ref #	Search Text	DBs	Time Stamp
22	7	S82	("5884031")	16 D(10 .1D(10	2005/02/08 11:01
23	3	S83	("6122259")	IE:P(): .1P():	2005/02/08 11:22
24	16387	S84	709/220-231.ccls.		2005/02/08 11:24
25	6029	S85	S84 AND ((@ad <= "19990219") or (@rlad	II D() • . D() •	2005/02/08 11 : 25
26	106	S86	schedul\$3) NEAR5 (status monitor\$3).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 14:24
27	6697	S87	709/224	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 14:25
28	46	S88	ISB/ AND ((periodicsb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 15:24

Best Available Copy

2/22/05, EAST Version: 2.0.1.4

	Hits	Ref #	Search Text	DBs	Time Stamp
29	18	S89	S88 AND ((@rlad <= "19990219") or (@ad <= "19990219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/08 15:26

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	43	"6032216"	16: D(1 + 1 D(1 +	2005/02/22 10:12
2	L2	14	1 AND ((@ad <= "19990219") or (@rlad <= "19990219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 10:31
3	L3	45	, , , -	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 10:39
4	L4	39954	check\$3 update) NEAR3 (status update operation)) WITH	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 10:36
5	L5	10977	((periodic\$5 intermittent regular\$2 schedul\$3 monitor\$3 check\$3 update) NEAR3 (status update operation)) SAME ((status fail\$3 inoperable 'not inoperation') NEAR5 (node client subscriber STB 'set top' receiver terminal PC device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 10:57

	L #	Hits	Search Text	DBs	Time Stamp
6	L6	222			2005/02/22 11:46
7	L7	117	6 AND ((@ad <= "19990219") or (@rlad <= "19990219"))	18. P() : 11 P() : 1	2005/02/22 11:00
8	L8	344	5 SAME ((replac\$6 different duplicate 'back-up') NEAR5 (path node client subscriber STB 'set top' receiver terminal PC device))	18 PLI * . I PLI *	2005/02/22 10:59
9	L9	176	8 AND ((@ad <=		2005/02/22 11:03
10	L10	5	9 AND "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 11:02
11	L11	21	9 AND "714"/\$.ccls.	14 D(10 . D(10	2005/02/22 11:02
12	L12	453	714/3 AND ((@ad <= "19990219") or (@rlad	IB: PO!1.PO!	2005/02/22 11:16

	L #	Hits	Search Text	DBs	Time Stamp
13	L13	25	12 AND ((network node path) NEAR4 (reconfiguration 're-route'))		2005/02/22 11:38
14	L14	183	5 AND ((network node path) NEAR4 (reconfiguration 're-route'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 11:13
15	L15	111	14 AND ((@ad <= "19990219") or (@rlad <= "19990219"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 11:38
16	L16	2	714/3 AND 15	IR.POT TIPOT	2005/02/22 11:18
17	L17	24	"714"/\$.ccls. AND 15	16 D() • . 1 D() •	2005/02/22 11:21
18	L18	25	"709"/\$.ccls. AND 15	IEPO: 11PO:	2005/02/22 11:24
19	L19	31	"370"/\$.ccls. AND 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/22 11:25

	L #	Hits	Search Text	DBs	Time Stamp
20	L20	20		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/22 11:25
21	L21	709	370/217 AND ((@ad <=	IL D(1 • I D(1 •	2005/02/22 11:46
22	L22	42	21 AND ((network node		2005/02/22 11:38
23	L23	7	"725"/\$.ccls. AND	DEP() • . IP() •	2005/02/22 11:46
24	L24	4	23 AND ((@ad <= "19990219") or (@rlad	16: P() • .1 P() •	2005/02/22 11:46